

Dell Keyboard and Mouse KM5221W Pro Wireless, US, 2.4 GHz, White

Generuota 2025-04-21



Name	Description
MU-MiMO	Yes
Power supply	Internal 700 W
HDMI ports quantity	2
Built-in microphone	Yes
Headphones connection type	Wireless
Wi-Fi standards	802.11 a/b/g/n/ac
Processor cores	14
Minimum system requirements	Mac with macOS 11.3 or later; iPad with iPadOS 14.5 or later; iPhone and iPod touch with iOS 14.5 or later
Discrete graphics adapter memory	N/A GB
Processor threads	20
Touchscreen	No
USB ports quantity	1Ã USB-C 3.0 Port, 1Ã USB-A 3.0 Port

Name	Description
Type	Gaming
PC connection	Bluetooth, Port Lightning, Wireless
Connection type	USB Type-A
Data transfer rate	10/100/1000 Mbit/s
Light colour	Multicolour
Auto focus	Yes
Dimensions (W x D x H) with stand	1289 x 256 x 819 mm
PET	10 g
Ergonomic design	Yes
Interface	DisplayPort / HDMI / USB
Producer product family	Pan/Tilt Home Security Wi-Fi Camera
Gross weight	0.58 kg
Tare weight (kg)	0.30 kg
Main camera resolution	108+8+2+2 MP
Device connectivity	Wired
Mouse included	Yes
Start-up time	1 s

Name	Description
WWAN	LTE Upgradable
Height adjustment	11 cm
DisplayPorts quantity	1
Keyboard layout	US
Sensors	Optical
TI weight (kg)	0.03 kg
Switch type	Linear Red Switch
Keyboard dimensions (WxDxH)	279 x 114.9 x 4.1 mm
Graphics processor family	NVIDIA/AMD/MACOS
Processor lithography	7 nm
Display type	AMOLED
Weight	60 g
Type	Keyboard and Mouse Set
Processor frequency	3.50 GHz
WEEE tax	Yes
Mesh Support	Yes
Connections	Wi-Fi, IEEE 802.11b/g/n

Name	Description
Wrist rest	Yes
Max IR distance	9.14 m
5G	No
Energy efficiency class	F
Box contents	Wave XLR, USB-C Cable
Protection features	Privacy Mode, Sound and Light Alarm, Motion Detection and Notifications
Product name	Ruff
Gross depth (mm)	460.00 mm
Bluetooth version	5
Mac operating systems supported	Yes
Memory clock speed	4800 MHz
Energy Class	A+
Display surface	Anti-glare
Ethernet LAN (RJ-45) ports	1
USB port	No
Warranty	36 month(s)
Device type	Wireless

Name	Description
Gross depth master carton	470 mm
Antenna type	8Å Detachable High-Performance Antennas
Maximum screen size compatibility	101.6 cm
Graphics processor	N/A
Maximum refresh rate	144 Hz
Length	10.8 cm
Form factor	Right-Handed
USB-C power delivery	N/A
Packing quantity	1.00 pc(s)
Mobile Broadband	No mobile broadband
Software type	Supports MAC address self-learning and auto MDI/MDIX
Number of heating levels	9
Digital signal format system	DVB-T/T2/T2-HD/C/S/S2
Aspect ratio	16:9
Voltage	220-240 V
Connectivity technology	USB 3.0
Case design	Plastic case

Name	Description
Producer product name	5521 Special Edition
Gross width (mm)	77.00 mm
Battery capacity	5000 mAh
Mouse weight	56 g
Processor socket	LGA1700
Sample rate	48/96 kHz
DPI	18000
Ethernet LAN (RJ-45) ports	No
Colour of product	Black
Temperature (max)	230 Â°C
Number of buttons	3
Wi-Fi standards	802.11ax/ac/n/a 5 GHz; 802.11ax/n/b/g 2.4 GHz
Antennas quantity	8
Dimensions (W x D x H)	900 x 370 x 4 mm
LED backlight	Yes
HD type	QHD
Frequency range	3.50-5.10 GHz

Name	Description
Device interface	USB Type C
Wireless connection	No
Volume (m3)	0.00 m ³
Compatible memory cards	MicroSDXC
Inner carton packing Qty	10 pc(s)
Beam angle	220 Â°
Processor boost frequency	5.0 GHz
Response time	1 ms
Cable length	0.15 m
Compatible operating systems	Windows 10/8.1/8/7, MacOS
Producer product family	G15
Net weight	0.56 kg
Gross height (mm)	140.00 mm
Internal memory type	DDR5
Storage media	SSD
Discrete graphics adapter memory	8 GB
Number of battery cells	6

Name	Description
Contrast ratio (typical)	1000:1
Ethernet LAN (RJ-45) ports	8
LED indicators	Yes
Frequency band	2.4GHz/5GHz
Microphone sensitivity	-38dB
Tare other	64.00 g
Memory slots	2x SO-DIMM
Interface type	Thunderbolt 3
Discrete graphics adapter model	NVIDIA GeForce RTX 3070 Ti
Display	2560 x 1440
USB ports quantity	1x USB 3.2 Gen 1 downstream with Battery Charging 1.2, 1x USB 3.2 Gen 1 upstream, 3 x USB 3.2 Gen 1 downstream
TV tuner integrated	No
Battery warranty	12 month(s)
WEE classification	CL109:6:2017-04-01
Video recording modes	1080p@30fps
Features	Night Vision, Remote Control, Two-Way Audio, Sharing to Social Medias, Voice Control (Works with Google Assistant and Amazon Alexa), Local Storage through microSD Card (not included), Tapo App

Name	Description
Application	Tapo app
On-board graphics adapter model	Intel Iris Xe Graphics
Pivot	Yes
Swivelling	Yes
USB 3.0 (3.1 Gen 1) Type-A ports quantity	3
Wi-Fi data rate (max)	1148+4804+4804 Mbit/s
Connector type	2.4 GHz
Embeeded battery	Yes
Wi-Fi band	802.11ax
Front camera	Yes
Solid-state drive capacity	1000 GB
Packing	Retail
Panel type	IPS
Frequency range	2.4 GHz
USB charging port	Yes
Operating system version	11
Compatible products	LEGEND/SYGMA/SELENE/GAMMA/GOYA/THALASSA/ATENEA/BIBLOS

Name	Description
Gross width master carton	390 mm
Processor model	i5-13600K
Remote access	Yes
Keyboard backlit	Yes
Display diagonal (metric)	146 cm
Battery type	AA/AAA
Built-in speaker(s)	No
Ready indicator	Yes
Paper/Pasteboard	250.00 g
Secondary camera	Yes
Resolution	8500
Keyboard language	estonian
Camera	RGB HD Camera
Poe	no PoE
Cable length	1.3 m
Acceleration (G)	70

Name	Description
Compatibility	MACOS: Radeon RX 5000 Series, Radeon RX Vega Series, Radeon RX 500 Series, Radeon R9 Series, Radeon Pro Series; NVIDIA: GeForce RTX 30 Series, GeForce Titan RTX Series, GeForce RTX 20 Series, GeForce Titan GTX Series, GeForce GTX 16 Series, GeForce GTX 10 Series, GeForce GTX 980 Ti and GTX 750, Quadro RTX Series, Quadro P Series AMD: Radeon RX 5000 Series, Radeon RX Vega Series, Radeon RX 500 Series, Radeon R9 Series, Radeon Pro Series
Producer product name	KM5221W Pro
Classification of battery	CL126:NE:2016-12-09
Camera type	Indoor
Optical drive type	No Optical drive
Connector 2	HDMI Female; USB Female; USB-C (power only) Female
Display types supported	Compatible monitors weighing between 5.7kg (12.56 lbs) and 10.5kg (23.15 lbs).
Maximum refresh rate	240 Hz
Diameter	6 cm
Predominant port type	10/100/1000 Mbps (RJ-45)
Internal memory	16 GB
Sockets	E27
Gross height master carton	315 mm
Processor family	i5-136xx
Voice control	Yes
Discrete graphics memory type	GDDR6

Name	Description
Tilt angle	-5/21 Â°
USB required	Yes
Ethernet LAN data rates	10/100/1000 Mbit/s
Wireless connection	Yes
Plastic (No PET)	50.00 g
Power over Ethernet (PoE)	No
Buttons	5
Numeric keypad	No
Battery capacity (Watt hours)	86 Wh
Plug and Play	Yes
Battery technology	Li-on
Colour	Quartz
Producer product family	Keyboard and Mouse
RGB LED light	Yes
Composition of battery	CL127:KT:2016-12-09
Audio in/out	Yes
Luminous flux	806 lm

Name	Description
Solid-state drive interface	M.2 PCIe NVMe
Processor cache	18 MB Intel Smart Cache MB
Display	Yes
Width	27.9 cm
Material	Aluminium
Operating system installed	Windows 11 Home
Compatible products	XLR microphones
Net weight master carton	7 kg
Microphone frequency	100 - 10000 Hz
Keyboard language	English
Ionic function	No
Display brightness	600 cd/m ²
Sensor type	Optical
Illumination	No
Gross weight	0.86 kg
Frequency response	20 - 22000 Hz
Internal RAM	6 GB

Name	Description
Product family	Gaming Mouse
Keyboard weight	239 g
Smart TV	Yes
3G	Yes
Power supply type	External
Technical features	1000 DPI
Compatibility	PS5 Console, PC, Mac, Nintendo Switch and Mobile Devices
Wearing style	Over-Ear
Wi-Fi	Yes
Switch layer	L2
Saleout	DEMO
Component for	PC
Weight (without accesories)	2.674 kg
Viewing angle, vertical	178 Â°
Height	0.41-1.09 cm
Colour of product	White
Diagonal	15.6 "

Name	Description
Sensor DPI	30000 DPI
Tare weight master carton	0.67 kg
Impedance	32 Î©
Movement detection technology	Optical
Total storage capacity	1000 GB
Tilt adjustment	Yes
Built-in flash	LED flash
Fingerprint reader	Yes (Touch Style, Match-on-Chip)
Producer product name	Tapo C200
Frequency response	20-20000 Hz
Internal storage capacity	128 GB
Connector 1	USB-C, 3x USB 3.0, HDMI, RJ45, SD, Micro SD
Buttons type	Doubleshot PBT Keycaps
Drivers included	50 mm
4G	Yes
VESA mounting interfaces	200 x 300 mm
Other features	Keyboard Technology - Plunger; Movement Resolution - 4000 dpi

Name	Description
Operating system installed	Android
Noise canceling	Yes
SIM card capability	Dual SIM
Lens type	4mm/F/2.4
Warm-up time	15 s
Colour temperature	4000 K
Memory layout (slots x size)	2x8 GB
Viewing angle, horizontal	178 Â°
Special features	The 1.25-metre cable, which terminates with a USB 2.0 plug, gives you freedom of movement and unlimited work options. Connect your mouse to a USB-only device and use your hardware instantly, without the need to install any drivers
WAN connection	1
Security features	WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Compatible products	OptiPlex 3090 UFF, OptiPlex 7070 UFF, OptiPlex 7090 UFF
Bluetooth version	5.0
Life time	15000 h
Ceramic heating system	Yes
USB 3.1 (3.1 Gen 2) Type-C ports quantity	1

Name	Description
VESA mounting	Yes
Connectivity technology	Wireless
Fingerprint reader	Side-mounted
Net weight	0.075 kg
Quantity per pack	1 pc
Secondary camera resolution	16 MP
Screen size compatibility	30-40 "
Keyboard style	Straight
Scheduling	Yes
Bluetooth	Yes
Power	8.7 W
Compatible operating systems	Apple MacOS, Android, Google Chrome OS, Microsoft Windows 7, Windows 8.1 , Windows 10, Windows 11 Red Hat Enterprise Linux 8.0, Ubuntu 18.04
Video compression formats	H.264
Wireless	Yes
Type of battery	Battery
Maximum video resolution	1080 pixels
Connector(s)	1 x USB 3.0 in, 1 x RJ45 out

Name	Description
Battery life (max)	Up to 450 hours (2.4Ghz), 950 hours (BLE) with included Lithium AA battery h
Keyboard	Multi-Device
Display diagonal	27 "
Dimensions (WxDxH)	180 x 220 x 2 mm
10/100 Mbps (RJ-45) ports quantity	16
Operating system installed	Android TV with Ambilight
Microphone sensitivity	-55 dB
SIM card type	Nano-SIM
Dimmable	Yes
Movement resolution	1600 DPI
Gain	5 dBi
USB-C	No
VESA mounting interfaces	100 x 100 mm
Wireless range	10 m
Data transfer rate (max)	574+2402 Mbit/s
Gross weight	0.73 kg
Cables included	Lightning



SMART ELECTRONICS
SALE / REPAIR

CONTACT US | +370 639 77277

QUICK PRODUCTS DELIVERY

1-2 w.d.

Name	Description
Package content	Tapo L520E, Quick Start Guide
Keyboard type	Optical Gaming Keyboard
Battery LED indicator	Yes
Requires hub	No

UAB "REGO TECH"

Company code: 302449356
PVM code: LT100005005917
C/A: LT927300010118749098

WWW.MARSIIETIS.LT

Email: info@marsietis.lt
Mobile: +370 (639) 77 277
Vilnius st. 230 Siauliai, LT-76303, Lithuania