

Xiaomi Smart Lightstrip Pro 17 W, Wi-Fi, Bluetooth

Generuota 2025-07-01



Name	Description
Display diagonal	34 "
Chassis type	SFF
Packing quantity	1.00 pc(s)
Switch type	Web Management
Combo ports quantity	1
Aspect ratio	16:9
USB ports quantity	1 x USB-B, 4 x USB 3.2
Capacity	400 W
Volume (m3)	0.0038406 m ³
Power supply voltage	120 - 240 V
Tilt adjustment	Yes
USB charging port	Yes

Name	Description
Connector type	Bluetooth
Wi-Fi standards	N/A
Keyboard language	Nordic
Display	3440 x 1400 pixels
Ethernet LAN data rates	10/100/1000 Mbit/s
Plastic (No PET)	6 g
UPS topology	Off line
Maximum data transfer rate	1 Gbit/s
Viewing angle, vertical	178 Â°
Power requirements	100 - 240
Data transfer rate (max)	1 Gbit/s
Gross depth (mm)	346 mm
Optical drive type	DVDÂ±RW
VESA mounting	Yes
Form factor	Tower
Combined (other)	206.0000 g
Bluetooth version	None

Name	Description
Total storage capacity	256 GB
Tilt angle	-5/30 Â°
Warranty	24 month(s)
Embeeded battery	No
Processor cores	6
Processor boost frequency	4.4 GHz
Viewing angle, horizontal	178 Â°
Power consumption (typical)	4.3 W
Internal memory	2048 MB
Gross width (mm)	222 mm
Solid-state drive capacity	256 GB
VESA mounting interfaces	100 x 100 mm
Producer product family	ThinkCentre
Maximum resolution	SVGA (800x600)
Compatible memory cards	3-in-1 Card Reader
Flash memory	128 MB
Colour	Black

Name	Description
USB-C power delivery	N/A
Gross depth master carton	435 mm
Palette Qty	9 pc(s)
Maximum internal memory	128 GB
Response time	5 ms
Weight	3000 g
Processor frequency	2.5 GHz
Classification of battery	CL126:NE:2016-12-09
Memory type	NAND
Contrast ratio (typical)	3000:1
Type	Desktop
Contrast ratio	20000:1
Gross height master carton	235 mm
Supported data transfer rates	10/100/1000 Mbps
VGA (D-Sub) ports quantity	1
Built-in speaker(s)	Yes
WEE classification	CL109:3:2017-04-01

Name	Description
I/O ports	Front Ports: 2x USB 3.2 Gen 1, 2x USB 3.2 Gen 2, 1x USB-C 3.2 Gen 1 (15W charging), 1x headphone / microphone combo jack (3.5mm), 1x microphone (3.5mm); Rear Ports: 4x USB 2.0, 1x HDMI 2.1 TMDS, 2x DisplayPort 1.4, 1x Ethernet (RJ-45), 1x line-out (3.5mm)
On-board graphics adapter model	Intel UHD Graphics 730
PET	124.00 g
Other features	USB Traditional keyboard and USB Calliope mouse included
Net weight	0.78 kg
Composition of battery	CL127:KT:2016-12-09
Fits up to size	15 "
Panel type	VA
Producer product family	UPS
Supported network protocols	Wi-Fi, Bluetooth
Net weight master carton	7.86 kg
Swivel angle range	-180/180 Å°
USB-C	No
Ethernet LAN (RJ-45) ports	No
Web-based management	Yes
Microphone sensitivity	-42

Name	Description
Throw ratio	1.94:1
Display surface	Anti Glare
Power	17 W
No flickering	Yes
Type of battery	Accumulator
Operating system architecture	64-bit
Touchscreen	No
Type	3-speed, fully manual operation
Gross weight	1.572 kg
Tare weight master carton	0.53 kg
Card reader integrated	Yes
Bluetooth	No
Connectivity technology	Wired
Capacity	650 VA
Cables included	HDMI cable, DP cable, Power cable
Impedance	36 Ω
Aspect ratio	21:9

Name	Description
Other features	Light strip length: 2m
Wearing style	Over-Ear
Bluetooth version	5.0
Storage media	SSD
Height adjustment	Yes
Producer product family	Business Projector For Presentation
Gross weight	0.6166 kg
TI weight (kg)	3.00 kg
Memory layout (slots x size)	1x16 GB
Pivot	No
Energy efficiency class	G
Operating system installed	Windows 11 Pro
Gross width master carton	305 mm
Microphone frequency	50-20000 Hz
Contrast ratio (dynamic)	∞∞Mega Infinity∞∞ DCR
HDMI ports quantity	2
Noise canceling	No

Name	Description
Wi-Fi connection	No
Memory clock speed	3200 MHz
Display brightness	240 cd/m ²
SFP+ ports quantity	1
Gross weight	1.046 kg
Wi-Fi band	No Wi-Fi
Rack mounting	Yes
MU-MiMO	No
USB ports quantity	1xUSB
Internal memory	16 GB
Gross height (mm)	50.00 mm
Processor model	i5-12400
Display technology	Anti-Glare, 2H, Haze 25 %
DisplayPorts quantity	1
Wireless connection	Yes
Mobile Broadband	No mobile broadband
Signal-to-Noise Ratio (SNR)	>50 dB

Name	Description
HD type	UWQHD
Output connections	Headset output
Producer product name	Smart Lightstrip Pro
Driver size	40 mm
DC-in jack	Yes
4G	No
Ethernet LAN (RJ-45) ports	7
Brightness	3800 ANSI lumens
Tare weight (kg)	0.266 kg
Processor family	Intel Core i5
Display	1920 x 1080
Colour of product	Black
Wireless	Yes
Mesh Support	No
Rotational speed	33-1/3 RPM, 45 RPM, 78 RPM RPM
Maximum refresh rate	160 Hz
Certification	IEC/EN 62040-1, IEC/EN 62040-2, CE, EAC

Name	Description
WEEE tax	Yes
Input frequency	50/60 Hz
Console port	RS-232
3G	No
Dimensions (WxDxH)	93 x 298 x 340 mm
Warranty	Onsite
Paper/Pasteboard	260 g
Internal memory type	UDIMM DDR4
Swivelling	No
TV tuner integrated	No
Headphones connection type	Wireless
Wi-Fi	No
Output voltage	5.5 mV