



Camry CR 2821 plaukų kirpimo mašinėlė augintiniams

Generuota 2025-05-23

On/off switch	Yes
Internal	No
PC connection	male x 2 pcs
Operating relative humidity (H-H)	0 - 90 %
Inner colour	Melna
Installation compartment width	55.7 cm
Energy efficiency class	G
Other features	Titanium head with ceramic blade; Precise hair cut adjustment in the ring; 4 comb attachments: 3, 6, 9, 12 mm; Cord or cordless operation; Set includes oil, brush and charger.
WEEE tax	Yes
Extra large fruit input	No
Nominal output voltage	220 V

Child lock	Yes
Special features	High-quality wine storage with compressor technology,Two separate temperature zones, individually adjustable for white and red wine (WineSafe only one temperature zone),Low-vibration technology gives the wine the calm environment it needs,Active fan for a very even temperature per zone,Storage capacity for up to 24,Insulating glass with UV- filter, protects against loss of aroma,Excellent thermal insulation for energy-efficient operation,Electronically adjustable temperature from 5 Â° to 22 Â°C,Blue actual cooling zone temperature LED display,On-demand interior illumination,Timeless design with elegant stainless steel front and double-glass insert,Ergonomic door handle,Ball-bearing supported pull-out trays with wooden storage racks,Quite operation
Hob type	Electric
Tare weight (kg)	0.08 kg
Oven size	42 L
Battery recharge time	6 h
Lamp type	LED
Product type	Free standing
Climate class	ST
TI weight (kg)	0.033 kg
Power supply input frequency	50/60 Hz
Auto-off timer cooks food safely	Yes
Power	35 W
Type	Turntable with radio

Packing quantity	1.00 pc(s)
Number of detection points	1
Power protection features	Overcharge, Overload
Residual heat indicator	Yes
Dimensions (WxDxH)	20 x 27 x 6 cm mm
Top surface type	All-glass Schott Ceran Suprema® surface
Gross depth (mm)	280.00 mm
Impedance	250 $\hat{I}\odot$
Typical backup time at half load	8 min
Interior light	Yes
Output interface	Output sockets: 2 pcs x C13, 1 pc x german Shuko
Freezing capacity	No kg/24h
Wooden	1860.00 g
Output power capacity	1500 VA
Bottles capacity	24
Power supply	1 x AA W
Number of compressors	1

WEE classification	CL109:5:2017-04-01
Value counting	No
Automatic Voltage Regulation (AVR)	Yes
Auto power off	Yes
Frequency range	AM/FM radio, PLL radio
Material	All-glass Schott Ceran Suprema® surface
Gross height (mm)	215 mm
Currencies available	All
Typical backup time at full load	15 min
Voltage	220-240 V
Output connections	male x 2 pcs
Storage time during power failure	No h
Paper/Pasteboard	80.00 g
Output operation voltage (max)	230 V
Power supply type	1 x AA
Non-slip feet	Yes

Country of origin	China
Filtering	Yes
Waveform	Sine
Domino	Yes
Svars	570 g
Capacity	1500 VA
Gross width (mm)	70 mm
Detection types	Krāsa
Battery replacement alarms	Audible
AC input voltage	230 V
Type	Money Checking Pencil
Diagonal	106 "
Gross depth master carton	275 mm
Input operation voltage (max)	290 V
Svars	11.8 kg
RoHS compliance	Yes
Revolutions	63 - 75 RPM

Alarm	No
Surge protection	Yes
Response time	6 ms
Platums	40 cm
Producer product family	Wine cooler
Embeeded battery	Yes
Case colour	Balta
Number of Schuko outputs	4
Battery technology	Sealed Lead Acid (VR
Number of burners/cooking zones	2
Functions	Hold function
Gross width master carton	253 mm
Number of shelves	4
Control panel	Sensor-Touch
Material	MaxWhite
Compatible products	DT 990; DT 990 Old; DT 990 Edition; DT 990 PRO
Alarm function	Sounding every 0,5 sec

UPS topology	Line-Interactive
Timer	60 min
Augstums	87.5 cm
Form factor	Mini tower
Classification of battery	CL126:NE:2016-12-09
Gender	Male/Female
AC outlets quantity	4
Control position	Front
Certification	GS, CE
Noise level (max)	41 dB
Tare weight master carton	0.218 kg
Output power	900 W
Rotisserie	No
Defrost function	Not specified
Shelves material	Wood
Volume (m3)	0.00 m ³
Number of batteries supported	2

Audible alarm(s)	Yes
Pan detection	Yes
Dzīlums	49.5 cm
Boost function	Yes
Composition of battery	CL127:KT:2016-12-09
Connector 1	Power plug type C
AC outlet types	Type F (Schuko)
Power	1800 W
Frame type	Face cut
Maximum cable length	3 m m
Gross height master carton	313 mm
Input operation voltage (min)	162 V
Aspect ratio	16:9
Battery voltage	12 V
Door hinge	Right
Plastic (No PET)	10 g
Package height	27.5 cm

Hotplate	No
Display technology	LED
Frequency range	AM/FM radio, PLL radio Hz
Noise emission class	C
Type of battery	Accumulator
Built-in display	Yes
Interior dimensions (W x D x H)	431x340x309 mm
Cable length	3 m m
Type	Hair clipper for pets
Gross weight	0.69 kg
Net weight master carton	3.75 kg
Output frequency regulation	60 / 50 Hz
Control type	Touch
Frequency range	AM/FM radio, PLL radio GHz
Suitable for	Banknotes
Accessories included	Grill rack, rotisserie, baking tray, tong for grill rack / baking tra
Package width	19 cm

Temperature range (zone 1)	5-22 Â°C
Display	LCD
Colour of product	Melna
Number of power levels	9
Package depth	39 cm
Number of electric cooking zones	2
Installation compartment depth	52.5 cm
AC input frequency	50 Hz
Colour of product	Stainless steel/Black
Net weight	0.61 kg
Viewable screen width (W)	235 cm
Connected load	80 W
Easy to clean	Yes
Dimensions (WxDxH)	632x473x435 mm
Number of speeds	1
Temperature	5-22 Â°C
Battery low indication	Sounding every sec

Connector(s)	4 x schuko outlets
Display	Digital
LED indicators	Yes
Warranty	24 month(s)
Operating temperature (T-T)	0 - 40 Â°C
Cooling type	Compressor technology
Installation compartment height	44.3 cm
Annual energy consumption	135 kWh
Type	HDMI male-male flat cable
Producer product name	CR 2821
Viewable screen height (H)	132 cm
Minimum system requirements	Software is compatible with Windows Vista, Windows 7/8, Windows 2008 server
Timer	Yes
Battery type	9 AH
Case design	Freestanding
Accessories included	with plug
Oven type	Electric



SMART ELECTRONICS
SALE / REPAIR

CONTACT US | +370 639 77277

QUICK PRODUCTS DELIVERY

1-2 w.d.

Number of temperature zones 2

UAB "REGO TECH"

Company code: 302449356
PVM code: LT100005005917
C/A: LT927300010118749098

WWW.MARSIETIS.LT

Email: info@marsietis.lt
Mobile: +370 (639) 77 277
Vilniaus st. 230 Siauliai, LT-76303, Lithuania